

# Jenfort Storage Water Heater

## Product Catalogue



### JN/JN(S Option)



總代理 Sole Agent



A-PLUS (HK) GROUP LTD.  
愛家(香港)集團有限公司

[www.aplusgroup.hk](http://www.aplusgroup.hk)

Patent Pending HK16112201.2



210202\_010

香港葵涌青山公路403號匯城集團大廈5樓A-E室  
Unit A-E, 5/F, Reason Group Tower, 403 Castle Peak Road,  
Kwai Chung, N.T., Hong Kong  
電話Tel: (852) 3563 7238 傳真Fax: (852) 3563 8793  
電郵Email: [company@aplusgroup.hk](mailto:company@aplusgroup.hk)

# 內置專利速熱系統 五分鐘快速加熱 大大延長熱水使用時間



## ※ Rapid 5-minute heating

Built-in rapid heat storage system, it only takes 5 minutes to heat up, which is beyond imagination.

## ※ Thermostat and overheat circuit breaker

All Zanussi electric water heaters adopt high-quality thermostat and overheat circuit breaker from France Cotherm to ensure precise temperature setting and product safety.

## ※ High efficiency heating tube

High-quality Incoloy alloy heating tube is used to make the product more durable and efficient.

## ※ High-density insulation layer

A high-density synthetic resin insulation layer is used to maintain the water temperature in the inner tank, reduce heat loss, save energy, and achieve first-level energy efficiency.

## ※ Special stainless steel inner tank

All inner tanks are made of special stainless steel. Because they are high-quality and durable, there is no need to worry about water leakage or deformation, so a 10-year warranty can be promised.

## ※ Automated welding

All Zanussi electric water heater inner tanks adopt fully automated welding technology to avoid human errors and stabilize product quality.

## ※ Automatic thermostat device

## ※ Stable water outlet temperature

## ※ Splash protection

## ※ Awarded first-level energy label

## ※ Product liability insurance HK\$10,000,000

## ※ 2-year warranty for electrical parts

## ※ 10-year warranty for inner tank




The first company in Hong Kong to obtain mandatory energy labeling

機電工程署  
**EMSD**  
符合機電工程署安全規格



Won Q-Mark and multiple international safety certifications



JN Series		Single-Point Shower Unit					
Model	Capacity (Litres)	Size(mm)			Power Rating (kW)	Net Weight (kg)	Net Weight Full Tank(kg)
		H	W	D	220 V		
JN-4	15	500	330	256	3 / 4	11	26
JN-5	18	563	330	256	3 / 4	12	30
JN-6	23	688	330	256	3 / 4	13	36

The above products all come with a single-control mixer tap/open mixer and shower set

# JN(S Option)

Shower type electric water heater with



Built-in patented rapid heating system, equipped with original environmentally friendly control components to regulate water flow; It can **heat up to a comfortable temperature for rinsing within 5 minutes**. **Coupled with the Airjet environmentally friendly showerhead with first-level water efficiency, it achieves the best water supply effect.**

Airjet environmentally friendly showerhead  
Certified with first-level water efficiency label  
More water-saving



## 功能特點



- Takes 5 minutes to bring water to a thermally comfortable temperature
- provide Long-lasting water supply with Original Water-saving Aerator Showerhead
- High Performance Heating Element
- tempertaure can be preserved longer hence saving energy
- Units range from 15 liters in volume, providing consistent hot water for an excellent showering experience.

**FREE**



Airjet environmentally friendly showerhead and mixer

The following is the comparison of opening water flow at the same time



JN(S Option)Series					Single-Point Shower Unit	
Model	Capacity (Litres)	Size(mm) H 闊 W D	Power Rating (kW) 220 V	Net Weight (kg)	Net Weight Full Tank(kg)	
JN-4(S Option)	15	500 330 256	3 / 4	11	26	
JN-5(S Option)	18	563 330 256	3 / 4	12	30	
JN-6(S Option)	23	688 330 256	3 / 4	13	36	

The above products all come with a single-control mixer tap/open mixer and shower set